

11u data

	run	arm	max dist	exit ave	exit max	field
1	4.63	54	117	47	52	2.5
2	4.5	52	120	49	55	3
3	4.89	60	121	55	61	3
4	4.46	48	89	53	57	3
5	4.91	52	144	53	57	1.5
6	5.19	58	76	49	62	3
7	4.83	46	0	0	0	2.5
8	5.27	39	75	40	47	1
9	5.33	60	189	63	69	2
10	4.91	47	110	42	49	2
11	4.39	53	164	49	57	3
12	5.15	49	78	49	53	2
13	5.35	44	98	52	58	1.75
15	4.95	44	77	36	47	2
16	4.72	51	163	54	63	2.75
18	4.71	51	163	54	63	2.25
19	5.01	52	165	54	65	2
20	4.94	47	19	37	43	2.5
21	5.09	52	124	55	64	2.5
22	5.16		164	53	61	2
23	4.6	56	190	50	63	2.5
24	5.25	51	125	47	52	3
25	4.6	56	160	59	65	4
26	4.83	56	192	61	67	3
28	4.89	52	138	53	59	3
29	4.94	52	124	49	63	5-Mar
30	4.57	51	121	48	56	3.5
31	4.9	52	154	51	57	3
32	5.13	53	142	50	60	3.5
33	5.15	48	105	44	59	2.5
34	5.31	58	192	58	65	3

35	4.89	51	122	49	56	4
36	5.25	50	28	53	64	2
37	4.87	44	112	46	51	1.75
38	5.06	51	145	55	62	2.5
39	4.91	53	178	58	63	3.5
40	5.16	58	149	52	54	2.5
41	4.95	52	139	38	51	2.75
42	4.9	53	139	38	51	2.75
44	5.01	44	126	43	53	2.75
46	5.13	49	106	47	52	2
47	5.35	50	85	39	51	4

pitch	pop
3.5	
2.5	
2.75	
2	
2	2.53
2.5	
1	
1.75	
3.5	
2.5	2.7
2.5	
2.5	2.52
1.5	2.83
1.75	
2.75	2.66
2.75	2.27
3	
3	
3	
3.5	
2	
3.5	
2.75	
2.5	
2.75	
3	
2.75	
3	2.27
1.75	
3	

3	
2.5	2.78
1.75	
2.5	
3	2.35
2.5	
2	
2	
1	5.77
2	
3.5	